

# LED AUXILIARY & FORWARD LIGHTING

Bulletin# 061417

DATE: 07-11-2017

© Copyright 2017



## Work Lamps

- 10-30VDC Operating Range
- Durable Diecast Aluminum Housing Construction
- Flood Beam or Spot Beam
- Include DT Type Plug and Wire Leads
- Available from 570 to 3360 Lumens

## Light Bars

- 10-30VDC Operating Range
- Durable Diecast Aluminum Housing Construction
- Combination Flood/Spot Beam
- Straight or Curved Design in Lengths from 8"-54"
- Available with Wiring Harness & Switch
- Available from 3240 to 28080 Lumens

## Driving Lamps

- 10-30VDC Operating Range
- Durable Diecast Aluminum Housing Construction
- 5", 7" and 9" Diameter
- Include DT Type Plug and Wire Leads
- Available from 1890 to 4320 Lumens

## Headlamps

- 9-32VDC Operating Range
- Durable Diecast Aluminum Housing Construction
- LED Replacement for Standard Sealed Beam Applications

### LED WORK LAMP 3" SQUARE FLOOD, 1080 LUMENS





View 1

View 2

571.LD973WL4

Automann #	Description
571.LD973WL4	Work Lamp LED 3" Square Flood, 4 LED, 1080 Raw Lumens, 1.11A at 12VDC, 0.548A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, Flood Beam, DT Type Plug



### LED WORK LAMP 3" SQUARE FLOOD, 1080 LUMENS





View 1

View 2

571.LD974WL4

Automann #	Description
571.LD974WL4	Work Lamp LED 3" Square Flood, 4 LED, 1080 Raw Lumens, 1.11A at 12VDC, 0.548A at 24VDC, Flush Mount, 3W CREE LEDs, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, Flood Beam, DT Type Plug



### LED WORK LAMP 3" SQUARE FLOOD, 1620 LUMENS





View 1

View 2



571.LD971WL6

Automann #	Description
571.LD971WL6	Work Lamp LED 3" Square Flood, 6 LED, 1620 Raw Lumens, 1.38A at 12VDC, 0.675A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, Flood Beam, DT Type Plug





## LED WORK LAMP 3" SQUARE FLOOD, 1620 LUMENS

Automann #	Description
<b>571.LD972WL6</b>	Work Lamp LED 3" Square Flood, 6 LED, 1620 Raw Lumens, 1.38A at 12VDC, 0.675A at 24VDC, Flush Mount, 3W CREE LEDs, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, Flood Beam, DT Type Plug





## LED WORK LAMP 4" ROUND, 1170 LUMENS

Automann #	Description	Replaces
<b>571.LD941WL6</b>	Work Lamp LED 4" Round, 6 LED x 1.5W OSRAM LEDs, 1170 Raw Lumens, 0.75A at 12VDC, 0.375A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug	MWL28



## LED WORK LAMP 4" ROUND, 1755 LUMENS


Automann #	Description
<b>571.LD942WL9</b>	Work Lamp LED 4" Round, 9 LED x 1.5W OSRAM LEDs, 1755 Raw Lumens, 1.25A at 12VDC, 0.625A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" ROUND, 1755 LUMENS




Automann #	Description
571.LD943WL9	Work Lamp LED 4" Round, 9 LED x 1.5W OSRAM LEDs, 1755 Raw Lumens, 1.25A at 12VDC, 0.625A at 24VDC, Spot Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" ROUND, 1920 LUMENS




Automann #	Description
571.LD945WL8	Work Lamp LED 4" Round, 8 LED x 3W Bridgelux LEDs, 1920 Raw Lumens, 1.8A at 12VDC, 0.9A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" ROUND, 2160 LUMENS





Automann #	Description
571.LD946WL9	Work Lamp LED 4" Round, 9 LED x 3W Bridgelux LEDs, 2160 Raw Lumens, 2.0A at 12VDC, 0.9A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug





### LED WORK LAMP 4" ROUND, 2660 LUMENS

Automann #	Description
<b>571.LD944WL14</b>	Work Lamp LED 4" Round, 12 LED x 1.5W OSRAM LEDs, 2660 Raw Lumens, 1.83A at 12VDC, 0.91A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug





### LED WORK LAMP 4" ROUND, 3360 LUMENS

Automann #	Description
<b>571.LD947WL14</b>	Work Lamp LED 4" Round, 14 LED x 3W Bridgelux LEDs, 3360 Raw Lumens, 2.856A at 12VDC, 1.601A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" SQUARE, 1755 LUMENS



Automann #	Description
<b>571.LD951WL9</b>	Work Lamp LED 4" Square, 9 LED x 1.5W OSRAM LEDs, 1755 Raw Lumens, 1.25A at 12VDC, 0.625A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" SQUARE, 1755 LUMENS





Automann #	Description
571.LD952WL9	Work Lamp LED 4" Square, 9 LED x 1.5W OSRAM LEDs, 1755 Raw Lumens, 1.25A at 12VDC, 0.625A at 24VDC, Spot Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" SQUARE, 1920 LUMENS





Automann #	Description
571.LD954WL8	Work Lamp LED 4" Square, 8 LED x 3W Bridgelux LEDs, 1920 Raw Lumens, 1.8A at 12VDC, 0.9A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP 4" SQUARE, 2160 LUMENS





Automann #	Description
571.LD955WL9	Work Lamp LED 4" Square, 9 LED x 3W Bridgelux LEDs, 2160 Raw Lumens, 2.0A at 12VDC, 0.9A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug





### LED WORK LAMP 4" SQUARE, 2520 LUMENS

Automann #	Description
<b>571.LD956WL6</b>	Work Lamp LED 4" Square, 6 LED x 3W CREE LEDs, 2520 Raw Lumens, 2.0A at 12VDC, 1.0A at 24VDC, Flush Mount, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug





### LED WORK LAMP 4" SQUARE, 3120 LUMENS

Automann #	Description
<b>571.LD953WL16</b>	Work Lamp LED 4" Square, 16 LED x 1.5W OSRAM LEDs, 3120 Raw Lumens, 2.08A at 12VDC, 1.04A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP RECTANGULAR, 1170 LUMENS

Automann #	Description	Replaces
<b>571.LD961WL6</b>	Work Lamp LED Rectangular, 6 LED x 1.5W OSRAM LEDs, 1170 Raw Lumens, 0.75A at 12VDC, 0.38A at 24VDC, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug	MWL29



### LED WORK LAMP RECTANGULAR, 1170 LUMENS





View 1

View 2

571.LD962WL6

Automann #	Description
571.LD962WL6	Work Lamp LED Rectangular, 6 LED x 1.5W OSRAM LEDs, 1170 Raw Lumens, 0.75A at 12VDC, 0.38A at 24VDC, Spot Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### LED WORK LAMP RECTANGULAR, 570 LUMENS





View 1

View 2

571.LD963WL3

Automann #	Description
571.LD963WL3	Work Lamp LED Rectangular, 3 LED x 5W CREE LEDs, 570 Raw Lumens, 0.30A at 12VDC, 0.16A at 24VDC, w/Rubber Mounting Pads for Both Flat and Tube, Flood Beam, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens, DT Type Plug



### WIRING HARNESS & SWITCH





571.PT991DT2

Automann #	Description
571.PT991DT2	Wiring Harness & Switch, Includes Relay & Fuse, for LED Work Lights w/DT Type Plug, For 2 Lights



### LED LIGHT BAR, 3240 LUMENS



Automann #	Description
<b>571.LD9212</b>	Light Bar LED, 7.5", 12 LED, 3240 Raw Lumens, 2.0A at 12VDC, 1.2A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
<b>571.LD9212WS</b>	Includes 571.PT992DT1 Wiring Harness & Switch



571.LD9212

### LED LIGHT BAR, 6480 LUMENS




Automann #	Description
<b>571.LD9224</b>	Light Bar LED, 13.5", 24 LED, 6480 Raw Lumens, 4.2A at 12VDC, 2.2A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
<b>571.LD9224WS</b>	Includes 571.PT992DT1 Wiring Harness & Switch



571.LD9224

### LED LIGHT BAR, 10800 LUMENS

Automann #	Description
<b>571.LD9240</b>	Light Bar LED, 21.5", 40 LED, 10800 Raw Lumens, 8.2A at 12VDC, 4.1A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
<b>571.LD9240WS</b>	Includes 571.PT992DT1 Wiring Harness & Switch




571.LD9240

### LED LIGHT BAR, 16200 LUMENS




View 1




View 2

571.LD9260

Automann #	Description
571.LD9260	Light Bar LED, 31.5", 60 LED, 16200 Raw Lumens, 12A at 12VDC, 5.8A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/ Spot Beam
571.LD9260WS	Includes 571.PT993ATP1 Wiring Harness & Switch




Combo Beam



### LED LIGHT BAR, 21600 LUMENS




View 1




View 2

571.LD9280


Automann #	Description
571.LD9280	Light Bar LED, 41.5", 80 LED, 21600 Raw Lumens, 15.9A at 12VDC, 7.1A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/ Spot Beam
571.LD9280WS	Includes 571.PT993ATP1 Wiring Harness & Switch




Combo Beam



### LED LIGHT BAR, 25920 LUMENS




View 1




View 2

571.LD9296

Automann #	Description
571.LD9296	Light Bar LED, 50.0", 96 LED, 25920 Raw Lumens, 16.6A at 12VDC, 8.6A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/ Spot Beam
571.LD9296WS	Includes 571.PT993ATP1 Wiring Harness & Switch




Combo Beam





### LED LIGHT BAR CURVED, 10800 LUMENS

Automann #	Description
<b>571.LD9340</b>	Light Bar LED, Curved, 21.5in, 40 LED, 10800 Raw Lumens, 8.2A at 12VDC, 4.1A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
<b>571.LD9340WS</b>	Includes 571.PT992DT1 Wiring Harness & Switch




Combo Beam




571.LD9340

### LED LIGHT BAR CURVED, 16200 LUMENS

Automann #	Description
<b>571.LD9360</b>	Light Bar LED, Curved, 31.5in, 60 LED, 16200 Raw Lumens, 12A at 12VDC, 5.8A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
<b>571.LD9360WS</b>	Includes 571.PT993ATP1 Wiring Harness & Switch




Combo Beam




571.LD9360

### LED LIGHT BAR CURVED, 21600 LUMENS

Automann #	Description
<b>571.LD9380</b>	Light Bar LED, Curved, 41.5in, 80 LED, 21600 Raw Lumens, 15.9A at 12VDC, 7.1A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
<b>571.LD9380WS</b>	Includes 571.PT993ATP1 Wiring Harness & Switch



Combo Beam




571.LD9380

### LED LIGHT BAR CURVED, 25920 LUMENS




View 1



View 2

571.LD9396

Automann #	Description
571.LD9396	Light Bar LED, Curved, 50.0in, 96 LED, 25920 Raw Lumens, 16.6A at 12VDC, 8.6A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
571.LD9396WS	Includes 571.PT993ATP1 Wiring Harness & Switch



### LED LIGHT BAR CURVED, 28080 LUMENS




View 1



View 2

571.LD93104

Automann #	Description
571.LD93104	Light Bar LED, Curved, 54.0in, 104 LED, 28080 Raw Lumens, 20.3A at 12VDC, 10.2A at 24VDC, 3W CREE LEDs, 10-30VDC, IP67, Diecast Aluminum Housing, Polycarbonate Lens, Combo Flood/Spot Beam
571.LD93104WS	Includes 571.PT993ATP1 Wiring Harness & Switch



### WIRING HARNESS & SWITCH





571.PT992DT1

Automann #	Description
571.PT991DT2	Wiring Harness & Switch, Includes Relay & Fuse, for LED Work Lights w/DT Type Plug, For 2 Lights
571.PT992DT1	Wiring Harness & Switch, Includes Relay & Fuse, for LED Work Light w/DT Type Plug



### LED DRIVING LAMP ROUND, 2160 LUMENS

Automann #	Description
<b>571.LD996DL8</b>	Driving Lamp LED Round, LED 5", 8 LED x 3W OSRAM LEDs, 2160 Raw Lumens, 1.7A at 12VDC, .09A at 24VDC, Driving Beam, SAE Approved, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens





### LED DRIVING LAMP ROUND, 1890 LUMENS

Automann #	Description
<b>571.LD992DL1</b>	Driving Lamp LED Round, LED 7", 1 LED x 20W CREE COB LED, 1890 Raw Lumens, 1.28A at 12VDC, 0.64A at 24VDC, Driving Beam, SAE/DOT Approved, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens



### LED DRIVING LAMP ROUND, 4000 LUMENS


Automann #	Description
<b>571.LD993DL1</b>	Driving Lamp LED Round, LED 7", 1 LED x 30W CREE COB LED, 4000 Raw Lumens, 3.4A at 12VDC, 1.7A at 24VDC, Spot Beam, For Off-Road Use Only, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens



### LED DRIVING LAMP ROUND, 4050 LUMENS




Automann #	Description
571.LD995DL15	Driving Lamp LED Round, LED 7", 15 LED x 3W OSRAM LEDs, 4050 Raw Lumens, 3.1A at 12VDC, 1.6A at 24VDC, Driving Beam, SAE Approved, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens



### LED DRIVING LAMP ROUND, 4320 LUMENS




Automann #	Description
571.LD991DL16	Driving Lamp LED Round, LED 7", 16 LED x 3W OSRAM LEDs, 4320 Raw Lumens, 3.75A at 12VDC, 1.875A at 24VDC, Driving Beam, For Off-Road Use Only, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens



### LED DRIVING LAMP ROUND, 4000 LUMENS




Automann #	Description
571.LD994DL1	Driving Lamp LED Round, LED 9", 1 LED x 30W CREE COB LED, 4000 Raw Lumens, 3.4A at 12VDC, 1.7A at 24VDC, Spot Beam, For Off-Road Use Only, 10-30VDC, IP67, IP69K, Diecast Aluminum Housing, Polycarbonate Lens




### LED HEADLIGHT 4" X 6"

Automann #	Description	Replaces
571.LD4X6W1H	LED High Beam 4" X 6" , 9-32 Volt, 950 Lumens, 6 Diodes, Aluminum Housing, SAE/ DOT Approved	MHL4X6HI, 31397
571.LD4X6W1L	LED Low Beam 4" X 6" , 9-32 Volt, 560 Lumens, Single Diode, Aluminum Housing, SAE/DOT Approved	MHL4X6LO, 31396



### LED HIGH/LOW BEAM 4" X 6"

Automann #	Description	Replaces
571.LD4X6W5HL	LED High/Low Beam 4" X 6" , 9-32 Volt, High Beam - 535 Lumens - 4 Diodes, Low Beam - 345 Lumens - Single Diode, Aluminum Housing, SAE/DOT Approved	31365



### LED HIGH/LOW BEAM 5" X 7"

Automann #	Description	Replaces
571.LD5X7W5	LED High/Low Beam 5" X 7" , 9-32 Volt, High Beam - 830 Lumens - 4 Diodes, Low Beam - 310 Lumens - Single Diode, Aluminum Housing, SAE/DOT Approved	MHL5X7HILO, 31297

